



L • Y • N • X

D e s i g n s f o r l i f e

Aluminum facades look & feel like wood

Beautiful facades - for a lifetime



Facade Profile



Click Profile



LYNX Facade made of 6" Facade Panels, Royal Oak

LYNX Designs



Lynx Designs presents aluminum building materials as the perfect alternative for those who appreciate the natural look of wooden facades but want to benefit from the advantages of aluminum.

Popular among architects and builders

In recent years, more and more have chosen this type of facade cladding. The reason? They're looking for materials that offer not just the natural look of wooden facades but are also low maintenance, fireproof, eco-friendly, and sustainable. The LYNX wood-look aluminum facade has emerged as a particularly attractive option.

Unsurpassed Durability

A standout feature of the wood-look aluminum facade is its impressive durability. Unlike traditional wooden facades that can rot, splinter, or crack, an aluminum facade is extremely resis-

An outstanding feature of the wood-look aluminum facade is its impressive durability.




LYNX Fassade made of 6" Click Profiles, Ruby Pine

tant. It withstands pests and also offers fire-proof protection, adding an extra layer of safety for buildings.

Maintenance Ease and Environmental Awareness

While wooden facades require regular care, our wood-look aluminum facades need minimal effort. No painting, no sealing – just simple cleaning with soap and water. And in terms of eco-friendliness, they are on par with traditional wooden facades. In fact, aluminum is 100% recyclable, leading to significantly less environmental impact. Additionally, the longevity of an aluminum facade reduces the need for replacement materials, as well as care and cleaning products.



LYNX room divider, Indoor, made from various Click Profiles.



Six selected colors have so far been featured throughout the entire Lynx system. All profiles can be combined with each other.



Alpine Ash



American Walnut




Anthracite



Royal Oak



Ruby Pine



Silver Beech

There are six different decors, five of which are in deceptively real wood reproduction. They remain beautifully enduring, just like on the first day.



LYNX Colors

Our aluminum profiles get their distinctive, unmistakable appearance from the LYNX special foils. No matter what style you design your house in, our colors are appropriately coordinated.


You have a choice between six different decors. A UV protection film ensures color fastness even after many years of intense sunlight, giving your facade a unique appearance.

Elegant Look and Feel

The high flexibility of our foils prevents shrinking and associated cracking. Thanks to the deep embossing of the surface, our panels also tactically convey the impression of wood. This is what makes our products so attractive for use in interior spaces.


You can also try out our LYNX color selector at www.lynx-designs.com/color1





The LYNX Click Profile System

consists of two precisely manufactured, mirror-like aluminum shells. The first half is screwed directly to the substructure at the designated grooves (optionally on the wide or narrow sides). Then, the second shell is simply mounted with a "click", creating a perfect aluminum square channel. Whether it remains empty or is used as an installation channel for electricity, water, or other supply lines is left to your imagination.



LYNX 2" x 6" CLICK PROFILE

LYNX 2" x 4" CLICK PROFILE



LYNXCC261201
2" x 6" Click Profile
Alpine Ash
(H x W x L) 1-5/8" x 6" x 12'



LYNXCC261202
2" x 6" Click Profile
Royal Oak
(H x W x L) 1-5/8" x 6" x 12'



LYNXCC261203
2" x 6" Click Profile
Silver Beech
(H x W x L) 1-5/8" x 6" x 12'



LYNXCC261204
2" x 6" Click Profile
American Walnut
(H x W x L) 1-5/8" x 6" x 12'



LYNXCC261205
2" x 6" Click Profile
Ruby Pine
(H x W x L) 1-5/8" x 6" x 12'



LYNXCC261221
2" x 6" Click Profile
Anthracite
(H x W x L) 1-5/8" x 6" x 12'



LYNXCC241201
2" x 4" Click Profile
Alpine Ash
(H x W x L) 1-5/8" x 4" x 12'



LYNXCC241202
2" x 4" Click Profile
Royal Oak
(H x W x L) 1-5/8" x 4" x 12'



LYNXCC241203
2" x 4" Click Profile
Silver Beech
(H x W x L) 1-5/8" x 4" x 12'




LYNXCC241204
2" x 4" Click Profile
American Walnut
(H x W x L) 1-5/8" x 4" x 12'



LYNXCC241205
2" x 4" Click Profile
Ruby Pine
(H x W x L) 1-5/8" x 4" x 12'




LYNXCC241221
2" x 4" Click Profile
Anthracite
(H x W x L) 1-5/8" x 4" x 12'



LYNX Screen Walls

The appearance of a building is defined by its facade. With the different cross-sections of our Click Profiles, it is possible to set creative accents through their combination, creating an exciting interplay of light and shadow. Large areas acquire a lively surface. Through partial installation, parts of the building structure or facade interact with each other in a dynamic way. Exceptional building materials for extraordinary structures.



There are virtually no limits to creativity in facade design.

LYNX 2" x 2" CLICK PROFILE



LYNXCC221201
2" x 2" Click Profile
Alpine Ash
(H x W x L) 1-5/8" x 2" x 12'



LYNXCC221202
2" x 2" Click Profile
Royal Oak
(H x W x L) 1-5/8" x 2" x 12'



LYNXCC221203
2" x 2" Click Profile
Silver Beech
(H x W x L) 1-5/8" x 2" x 12'



LYNXCC221204
2" x 2" Click Profile
American Walnut
(H x W x L) 1-5/8" x 2" x 12'



LYNXCC221205
2" x 2" Click Profile
Ruby Pine
(H x W x L) 1-5/8" x 2" x 12'



LYNXCC221221
2" x 2" Click Profile
Anthracite
(H x W x L) 1-5/8" x 2" x 12'

LYNX 3/4" x 3-1/2" CLICK PROFILE



LYNXCC343121201
3/4" x 3-1/2" Click Profile
Alpine Ash
(H x W x L) 3/4" x 3-1/2" x 12'



LYNXCC343121202
3/4" x 3-1/2" Click Profile
Royal Oak
(H x W x L) 3/4" x 3-1/2" x 12'



LYNXCC343121203
3/4" x 3-1/2" Click Profile
Silver Beech
(H x W x L) 3/4" x 3-1/2" x 12'



LYNXCC343121204
3/4" x 3-1/2" Click Profile
American Walnut
(H x W x L) 3/4" x 3-1/2" x 12'



LYNXCC343121205
3/4" x 3-1/2" Click Profile
Ruby Pine
(H x W x L) 3/4" x 3-1/2" x 12'



LYNXCC343121201
3/4" x 3-1/2" Click Profile
Anthracite
(H x W x L) 3/4" x 3-1/2" x 12'








Profile End Caps

For all LYNX Click Cladding Profiles, there are color-coordinated end caps that are simply attached to the open ends.



LYNX 3/4" x 2-3/4" CLICK PROFILE



Figure	Profile		Color	Length (mm)	Weight (kg/m)
Lynx Endkappen					
	Lynx 2" x 6" End Cap for 2" x 6" Click Profile	LYNXCCE2601 LYNXCCE2602 LYNXCCE2603 LYNXCCE2604 LYNXCCE2605 LYNXCCE2621	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	150	0,25
	Lynx 2" x 4" End Cap for 2" x 4" Click Profile	LYNXCCE2401 LYNXCCE2402 LYNXCCE2403 LYNXCCE2404 LYNXCCE2405 LYNXCCE2621	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	100	0,25
	Lynx 2" x 2" End Cap for 2" x 2" Click Profile	LYNXCCE2201 LYNXCCE2202 LYNXCCE2203 LYNXCCE2204 LYNXCCE2205 LYNXCCE2221	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	50	0,25
	Lynx 3/4" x 3 1/2" End Cap for 3/4" x 3 1/2" Click Profile	LYNXCCE3431201 LYNXCCE3431202 LYNXCCE3441203 LYNXCCE3431204 LYNXCCE3431205 LYNXCCE3431221	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	90	0,25
	Lynx 3/4" x 2 3/4" End Cap for 3/4" x 2 3/4" Click Profile	LYNXCCE3423401 LYNXCCE3423402 LYNXCCE3423403 LYNXCCE3423404 LYNXCCE3423405 LYNXCCE3423421	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	70	0,25



LYNX Facade
made of 6" Click Profiles,
Silver Beech

LYNX Click Profile References

A Different Kind of Facade

The flexible facade solution: With LYNX's Click Profiles, building design is nearly limitless. This sophisticated facade system not only offers

functional and optical diversity that accommodates individual building ideas but also easy installation. Naturally, this applies to interiors as well.




LYNX Deko Panel
made of 6" Click Profiles,
Royal Oak



LYNX Wallscreen
made of 4" Click Profiles,
Ruby Pine



LYNX Wallscreen
Indoor, made of 6" Click Profiles,
Royal Oak



The LYNX SIDING

Due to the high-precision manufacturing of our profiles, the LYNX sidings click into place with absolute accuracy. The clever tongue-and-groove connection always results in a reveal of 1/8". The installation of the profiles is carried out using a special stainless steel screw.



LYNX 6" FACADE PANEL

LYNX 4" FACADE PANEL



LYNX601201
6"x 12' Profile
Alpine Ash
(H x W x L) 1/2"x 6"x 12'



LYNX601202
6"x 12' Profile
Royal Oak
(H x W x L) 1/2"x 6"x 12'



LYNX601203
6"x 12' Profile
Silver Beech
(H x W x L) 1/2"x 6"x 12'



LYNX601203
6"x 12' Profile
American Walnut
(H x W x L) 1/2"x 6"x 12'



LYNX601205
6"x 12' Profile
Ruby Pine
(H x W x L) 1/2"x 6"x 12'



LYNX601221*
6"x 12' Profile
Anthracite
(H x W x L) 1/2"x 6"x 12'



LYNXCC343121201*
4"x 12' Profile
Alpine Ash
(H x W x L) 1/2"x 4"x 12'



LYNXCC343121202*
4"x 12' Profile
Royal Oak
(H x W x L) 1/2"x 4"x 12'



LYNXCC343121203*
4"x 12' Profile
Silver Beech
(H x W x L) 1/2"x 4"x 12'



LYNXCC343121204*
4"x 12' Profile
American Walnut
(H x W x L) 1/2"x 4"x 12'



LYNXCC343121205*
4"x 12' Profile
Ruby Pine
(H x W x L) 1/2"x 4"x 12'



LYNXCC343121201*
4"x 12' Profile
Anthracite
(H x W x L) 1/2"x 4"x 12'

LYNX Facade
made of 6" Facade Panels,
Royal Oak



LYNX FACADE PANEL References

Classic or Modern?

Facades made of LYNX panels open up boundless possibilities. Building envelopes are not only valuable, durable, and beautifully shaped,

but they are also extremely individual and sustainable. LYNX products combine quality and aesthetics. Discover our products and find the solution that fits your project!



LYNX Facade made of 6" Facade Panels, Royal Oak and Anthracite




LYNX Facade made of 4" Facade Panels, Ruby Pine



LYNX Facade made of 4" Facade Panels, Ruby Pine

LYNX Substructure



IMPORTANT – Five Points You Must Consider for a LYNX Facade Installation:

1. Substructure and trims may have to be installed beforehand.
2. Placement of the screw.
3. Room for expansion and contraction.
4. Firm snapping in of each individual panel.
5. Ventilation from top to bottom.

NOTE:

Thorough pre-planning including the right choice of materials is essential. Carefully read the instructions for LYNX facade installation and obtain all necessary building permits before starting the installation. Determine the cutting options before starting the project to ensure that the details of the LYNX facade installation are consistent for all sides of the building. The installation is the sole responsibility of the installer. LYNX assumes no responsibility in regard to the installation. The information contained herein is for orientation purposes only and should not be taken as an absolute representation of LYNX.



More information on assembly at:



<https://lynx-designs.com/wp-content/uploads/2023/02/Lynx-Installationsanleitung-DE-Feb-2023.pdf>



SS25
3 x 25 mm Stainless Steel
Shoulder Screw
(W x L) Ø 1/8" x 1"



LYNXJS10
Siding Starter J-Strip
(L) 10'



LXNXSHTC10P
Siding Hat Channel
punched
(H x W x L) 3/4" x 1-1/2" x 10'



QTJM10
Quik-Trim J-Mold
incl PVC Base
(H x W x L) 1" x 3/4" x 10'



QTWJM10
Quik-Trim Window
J-Mold incl PVC Base
(H x W x L) 1" x 1-1/2" x 10'



QTHM10
Quik-Trim H-Mold
incl PVC Base
(H x W x L) 1 1/2" x 1-1/8" x 10'



QTOC10
Quik-Trim Outside Corner
incl PVC Base
(H x W x L) 1" x 1-1/2" x 10'



QTIC10
Quik-Trim Inside Corner
incl PVC Base
(H x W x L) 1-1/2" x 1-1/2" x 10'



L • Y • N • X
D e s i g n s f o r l i f e

LYNX DESIGNS
4035 Cheyenne Ct | Chino | California 91710
info@lynx-designs.com | www.lynx-designs.com

Lynx Designs is a brand of Voss Solid GmbH
www.voss-solid.com