



L • Y • N • X®
D e s i g n s f o r l i f e

Aluminum facades look & feel like wood

Beautiful facades - for a lifetime



Siding Profile



Contura



Accent



Click Profile



LYNX Facade made of
6" Siding Profiles,
Royal Oak

LYNX Designs



Lynx Designs presents aluminum building materials as the perfect alternative for anyone who appreciates the natural look of wooden facades but wants the advantages of aluminum.

Popular among Architects and Builders

In recent years, more and more building owners and architects have opted for this type of facade cladding. The reason for this? They are looking for materials that not only offer the natural look of wooden facades, but are also low-maintenance, fire-resistant, environmentally friendly and sustainable. The LYNX aluminum facade with a wood look has proven to be a particularly attractive option.

Unsurpassed durability

A standout feature of the wood-look aluminum facade is its impressive durability. Unlike traditional wooden facades that can rot, splinter, or crack, an aluminum facade is extremely resistant. It withstands pests and also has a high fire rating, adding an extra layer of safety for buildings.




LYNX Fassade
made of 6" Click Profiles,
Ruby Pine

Maintenance Ease and Environmental Awareness

While wooden facades require regular care, our wood-look aluminum facades need minimal effort. No painting, no sealing – just simple cleaning with soap and water. And in terms of eco-friendliness, they are on par with traditional wooden facades. In fact, aluminum is 100% recyclable, leading to significantly less environmental impact. Additionally, the longevity of an aluminum facade reduces the need for replacement materials, as well as care and cleaning products.

Guaranteed and Certified

LYNX itself guarantees a 25-year warranty. The certified fire protection comes from the independent QAI Laboratories in California and, as a German company, we naturally attach great importance to the ›German engineering‹ label.




LYNX room divider,
Indoor, made from various
Click Profiles.

An outstanding feature
of the wood-look
aluminum façade
is its impressive
durability.




A wide range of decors is possible within the LYNX system. All profiles can be combined with each other.



Alpine Ash 01



Royal Oak 02




Silver Beech 03



American Walnut 04



Ruby Pine 05



Anthracite 21

These are six example decors. Five of them in deceptively real wood reproduction. Long-lasting beauty, just like on the first day.

Our aluminum profiles get their distinctive, unmistakable appearance from the LYNX special foils. No matter what style you design your house in, our colors are appropriately coordinated.

Choose from a wide range of decors - the standard colors are determined on a customer-specific basis. A UV protection film ensures color fastness even after many years of intense sunlight, giving your facade a unique appearance.

Elegant Look and Feel

The high flexibility of our foils prevents shrinking and associated cracking. Thanks to the

deep embossing of the surface, our panels also tactically convey the impression of wood. This is what makes our products so attractive for use in interior spaces.


Highest Color Fastness

All our profiles are highly lightfast according to the xenon test. The xenon arc test is currently the most reliable test to simulate the long-term influence of sunlight and moisture on the surface of a product.

LYNX Colors

You can also try out our LYNX color selector at <https://lynx-designs.com/en-us/facade-profiles/>





The LYNX SIDING

Due to the high-precision manufacturing of our profiles, the LYNX sidings click into place with absolute accuracy. The clever tongue-and-groove connection always results in a reveal of 1/8". The installation of the profiles is carried out using a special stainless steel screw. Facade Panel and Contura profile can be installed seamlessly and mixed.



LYNX 4" FACADE PANEL



LYNX401201
4"x 12' Profile
Alpine Ash
(H x W x L) 1/2"x 4"x 12'



LYNX401202
4"x 12' Profile
Royal Oak
(H x W x L) 1/2"x 4"x 12'



LYNX401203
4"x 12' Profile
Silver Beech
(H x W x L) 1/2"x 4"x 12'




LYNX401204
4"x 12' Profile
American Walnut
(H x W x L) 1/2"x 4"x 12'



LYNX401204
4"x 12' Profile
Ruby Pine
(H x W x L) 1/2"x 4"x 12'



LYNX401221
4"x 12' Profile
Anthracite
(H x W x L) 1/2"x 4"x 12'



All 6" LYNX Siding panels are also available perforated for ventilation in special applications (e.g. roof soffits).

LYNX 6" FACADE PANEL



LYNX601201
6"x 12' Profile
Alpine Ash
(H x W x L) 1/2"x 6"x 12'



LYNX601202
6"x 12' Profile
Royal Oak
(H x W x L) 1/2"x 6"x 12'



LYNX601203
6"x 12' Profile
Silver Beech
(H x W x L) 1/2"x 6"x 12'



LYNX601204
6"x 12' Profile
American Walnut
(H x W x L) 1/2"x 6"x 12'




LYNX601205
6"x 12' Profile
Ruby Pine
(H x W x L) 1/2"x 6"x 12'



LYNX601221
6"x 12' Profile
Anthracite
(H x W x L) 1/2"x 6"x 12'



LYNX-CONTURA



In combination with our Siding Profiles, these unique profiles create a modern, striking relief facade. They are available in 3 different dimensions (3/4", 1 1/2" and 2 1/4") and can be combined with our two different width fa-

cade panels. This provides sufficient variation options and enables completely new aluminum facades that can be installed both vertically and horizontally.

LYNX Makes it Possible!



LYNX Contura 30

3/4" x 2" Profile
(H x W x L) 3/4" x 2" x 12'

LYNXCO20341201

Alpine Ash

LYNXCO20341202

Royal Oak

LYNXCO20341203

Silver Beech

LYNXCO20341204

American Walnut

LYNXCO20341205

Ruby Pine

LYNXCO20341221

Anthracite



LYNX Contura 50

1 1/2" x 2" Profile
(H x W x L) 1 1/2" x 2" x 12'

LYNXCO20121201

Alpine Ash

LYNXCO20121202

Royal Oak

LYNXCO20121203

Silver Beech

LYNXCO20121204

American Walnut

LYNXCO20121205

Ruby Pine

LYNXCO20121221

Anthracite



LYNX Contura 70

2 1/4" x 2" Profile
(H x W x L) 2 1/4" x 2" x 12'

LYNXCO202131201

Alpine Ash

LYNXCO202131202

Royal Oak

LYNXCO202131203

Silver Beech

LYNXCO202131204

American Walnut

LYNXCO202131205

Ruby Pine

LYNXCO202131221

Anthracite



LYNX Facade made of 6" Siding Profiles, Royal Oak. Vertical and horizontal.

LYNX FACADE PANEL References

Classic or Modern?

Facades made of LYNX panels open up boundless possibilities. Building envelopes are not only valuable, durable, and beautifully shaped,

but they are also extremely individual and sustainable. LYNX products combine quality and aesthetics. Discover our products and find the solution that fits your project!



LYNX Facade made of 6" Siding Profiles, American Walnut



LYNX Facade made of 6" Siding Profiles, Royal Oak

Acoustic Panel Look for Modern Facades

With the new LYNX Accent profile, you create stylish highlights – both indoors and outdoors. Three finely crafted ribs, each 1 1/2" wide, are harmoniously distributed across the full width of our proven 6" siding profile. The recessed sections in between, finished in black, create a strong contrast and give the surface an elegant structure with a striking linear design.

LYNX 6" ACCENT PROFILE



LYNXAC 601202

1/2" x 6" Profile

Royal Oak

(H x W x L) 1/2" x 6" x 12'



LYNXAC 601205

1/2" x 6" Profile

Ruby Pine

(H x W x L) 1/2" x 6" x 12'



10

Perfect Corners for Seamless Design

The system is completed by a precisely matched corner profile that allows for seamless, continuous cladding – for a cohesive design down to the last detail. The result: A modern aluminium facade with strong presence, long-lasting quality, and versatile design possibilities.

LYNX ACCENT OUTSIDE CORNER PROFILE



LYNXACOC02

3/4" x 3/4" Profile

Royal Oak

(H x B x L) 3/4" x 3/4" x 12'



LYNXACOC05


3/4" x 3/4" Profile

Ruby Pine

(H x W x L) 3/4" x 3/4" x 12'




11



The LYNX Click Profile System

consists of two precisely manufactured, mirror-like aluminum shells. The first half is screwed directly to the substructure at the designated grooves (optionally on the wide or narrow sides). Then, the second shell is simply mounted with a «click», creating a perfect aluminum square channel. Whether it remains empty or is used as an installation channel for electricity, water, or other supply lines is left to your imagination.



LYNX 2" x 6" CLICK PROFILE



LYNXCC261201
2" x 6" Click Profile
Alpine Ash
(H x W x L) 1-5/8" x 6" x 12'



LYNXCC261202
2" x 6" Click Profile
Royal Oak
(H x W x L) 1-5/8" x 6" x 12'



LYNXCC261203
2" x 6" Click Profile
Silver Beech
(H x W x L) 1-5/8" x 6" x 12'



LYNXCC261204
2" x 6" Click Profile
American Walnut
(H x W x L) 1-5/8" x 6" x 12'



LYNXCC261205
2" x 6" Click Profile
Ruby Pine
(H x W x L) 1-5/8" x 6" x 12'



LYNXCC261221
2" x 6" Click Profile
Anthracite
(H x W x L) 1-5/8" x 6" x 12'

LYNX 2" x 4" CLICK PROFILE



LYNXCC241201
2" x 4" Click Profile
Alpine Ash
(H x W x L) 1-5/8" x 4" x 12'



LYNXCC241202
2" x 4" Click Profile
Royal Oak
(H x W x L) 1-5/8" x 4" x 12'



LYNXCC241203
2" x 4" Click Profile
Silver Beech
(H x W x L) 1-5/8" x 4" x 12'



LYNXCC241204
2" x 4" Click Profile
American Walnut
(H x W x L) 1-5/8" x 4" x 12'



LYNXCC241205
2" x 4" Click Profile
Ruby Pine
(H x W x L) 1-5/8" x 4" x 12'




LYNXCC241221
2" x 4" Click Profile
Anthracite
(H x W x L) 1-5/8" x 4" x 12'



LYNX Screen Walls

The appearance of a building is defined by its facade. With the different cross-sections of our Click Profiles, it is possible to set creative accents through their combination, creating an exciting interplay of light and shadow. Large areas acquire a lively surface. Through partial installation, parts of the building structure or facade interact with each other in a dynamic way. Exceptional building materials for extraordinary structures.



There are virtually no limits to creativity in facade design.

LYNX 2" x 2" CLICK PROFILE



LYNXCC221201
2" x 2" Click Profile
Alpine Ash
(H x W x L) 1-5/8" x 2" x 12'



LYNXCC221202
2" x 2" Click Profile
Royal Oak
(H x W x L) 1-5/8" x 2" x 12'



LYNXCC221203
2" x 2" Click Profile
Silver Beech
(H x W x L) 1-5/8" x 2" x 12'



LYNXCC221204
2" x 2" Click Profile
American Walnut
(H x W x L) 1-5/8" x 2" x 12'



LYNXCC221205
2" x 2" Click Profile
Ruby Pine
(H x W x L) 1-5/8" x 2" x 12'



LYNXCC221221
2" x 2" Click Profile
Anthracite
(H x W x L) 1-5/8" x 2" x 12'



LYNXCC343121201
3/4" x 3-1/2" Click Profile
Alpine Ash
(H x W x L) 3/4" x 3-1/2" x 12'



LYNXCC343121202
3/4" x 3-1/2" Click Profile
Royal Oak
(H x W x L) 3/4" x 3-1/2" x 12'



LYNXCC343121203
3/4" x 3-1/2" Click Profile
Silver Beech
(H x W x L) 3/4" x 3-1/2" x 12'



LYNXCC343121204
3/4" x 3-1/2" Click Profile
American Walnut
(H x W x L) 3/4" x 3-1/2" x 12'



LYNXCC343121205
3/4" x 3-1/2" Click Profile
Ruby Pine
(H x W x L) 3/4" x 3-1/2" x 12'



LYNXCC343121221
3/4" x 3-1/2" Click Profile
Anthracite
(H x W x L) 3/4" x 3-1/2" x 12'



Profile End Caps

For all LYNX Click Cladding Profiles, there are color-coordinated end caps that are simply attached to the open ends.



LYNX 3/4"x 2 3/4" CLICK PROFILE



LYNXCC3423401
3/4"x 2 3/4" Click Profile
Alpine Ash
(H x W x L) 3/4"x 2-3/4"x 12"



LYNXCC3423402
3/4"x 2 3/4" Click Profile
Royal Oak
(H x W x L) 3/4"x 2-3/4"x 12"



LYNXCC3423403
3/4"x 2 3/4" Click Profile
Silver Beech
(H x W x L) 3/4"x 2-3/4"x 12"



LYNXCC3423404
3/4"x 2 3/4" Click Profile
American Walnut
(H x W x L) 3/4"x 2-3/4"x 12"





LYNXCC3423405
3/4"x 2 3/4" Click Profile
Ruby Pine
(H x W x L) 3/4"x 2-3/4"x 12"



LYNXCC3423421
3/4"x 2 3/4" Click Profile
Anthracite
(H x W x L) 3/4"x 2-3/4"x 12"

Figure	Profile		Color	Length	Weight (kg/m)
Lynx End Caps					
	Lynx 2"x 6" End Cap for 2"x 6" Click Profile	LYNXCCE2601 LYNXCCE2602 LYNXCCE2603 LYNXCCE2604 LYNXCCE2605 LYNXCCE2621	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	6"	0,25
	Lynx 2"x 4" End Cap for 2"x 4" Click Profile	LYNXCCE2401 LYNXCCE2402 LYNXCCE2403 LYNXCCE2404 LYNXCCE2405 LYNXCCE2621	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	4"	0,25
	Lynx 2"x 2" End Cap for 2"x 2" Click Profile	LYNXCCE2201 LYNXCCE2202 LYNXCCE2203 LYNXCCE2204 LYNXCCE2205 LYNXCCE2221	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	2"	0,25
	Lynx 3/4"x 3 1/2" End Cap for 3/4"x 3 1/2" Click Profile	LYNXCCE3431201 LYNXCCE3431202 LYNXCCE3441203 LYNXCCE3431204 LYNXCCE3431205 LYNXCCE3431221	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	3 1/2"	0,25
	Lynx 3/4"x 2 3/4" End Cap for 3/4"x 2 3/4" Click Profile	LYNXCCE3423401 LYNXCCE3423402 LYNXCCE3423403 LYNXCCE3423404 LYNXCCE3423405 LYNXCCE3423421	Alpine Ash Royal Oak Silver Beech American Walnut Ruby Pine Anthracite	2 3/4"	0,25


LYNX Substructure




Alpine Ash 01



Royal Oak 02



Silver Beech 03



American Walnut 04



Ruby Pine 05



Anthracite 21

All profiles on this page are available in Mill Finished or in all LYNX colors.



SS25

1/8" x 1" Stainless Steel
Shoulder Screw
(W x L) Ø 1/8" x 1"



JS10MF

Siding Starter J-Strip
(L) 10'



JS10VPC

Siding Starter J-Strip
ventilated, powder coated
with insect screen
(L) 10'



HT3411210PMF

Hat Channel ventilated
(H x W x L) 3/4" x 1-1/2" x 10'



HT3411210PPC

Hat Channel ventilated
black powder coated
(H x W x L) 3/4" x 1-1/2" x 10'



LYNXCCEM22MF

End mount profile
for Click Profile 2 x 2
(H x W x L) 1 3/4" x 7/8" x 1 5/8"



LYNXCCEM24MF

End mount profile
for Click Profile 2 x 4
(H x W x L) 3 3/4" x 7/8" x 1 5/8"



LYNXCCEM26MF

End mount profile
for Click Profile 2 x 6
(H x W x L) 5 3/4" x 7/8" x 1 5/8"



Quik-Trim J-Mold
incl PVC Base

(H x W x L) 1" x 3/4" x 10'
QTJM10F01 Alpine Ash
QTJM10F02 Royal Oak
QTJM10F03 Silver Beech
QTJM10F04 American Walnut
QTJM10F05 Ruby Pine
QTJM10F21 Anthracite



Quik-Trim Windows
J-Mold incl PVC Base

(H x W x L) 1" x 1 1/2" x 10'
QTWJM10F01 Alpine Ash
QTWJM10F02 Royal Oak
QTWJM10F03 Silver Beech
QTWJM10F04 American Walnut
QTWJM10F05 Ruby Pine
QTWJM10F21 Anthracite



Quik-Trim H-Mold
incl PVC Base

(H x W x L) 1" x 1 1/2" x 10'
QTHM10F01 Alpine Ash
QTHM10F02 Royal Oak
QTHM10F03 Silver Beech
QTHM10F04 American Walnut
QTHM10F05 Ruby Pine
QTHM10F21 Anthracite



Quik-Trim Outside Corner
incl PVC Base

(H x W x L) 1" x 1" x 10'
QTOC10F01 Alpine Ash
QTOC10F02 Royal Oak
QTOC10F03 Silver Beech
QTOC10F04 American Walnut
QTOC10F05 Ruby Pine
QTOC10F21 Anthracite



Quik-Trim Inside Corner
incl PVC Base

(H x W x L) 1 1/2" x 1 1/2" x 10'
QTIC10F01 Alpine Ash
QTIC10F02 Royal Oak
QTIC10F03 Silver Beech
QTIC10F04 American Walnut
QTIC10F05 Ruby Pine
QTIC10F21 Anthracite

More information
on assembly at:



<https://lynx-designs.com/wp-content/uploads/2023/02/Lynx-Installationsanleitung-DE-Feb-2023.pdf>



Love • Your • New • Xterior



LYNX DESIGNS

info@lynx-designs.com | www.lynx-designs.com

Voss-Solid GmbH | Ernst Gremler Strasse 18 | 58239 Schwerte | Germany

+49 (0) 2304 911 80 38

Lynx Designs is a brand of Voss Solid GmbH



www.voss-solid.com